

Subject: Quotation for the purchase of Air conditioners.

Dear Sir,

Quotations in sealed envelopes are invited for the purchase of the following items:

Sr. No	Name of item	Quantity
1.	Air conditioner 1.5 ton split Preferably Voltas/Mitsubhishi Electrical/Hitachi/Carrier	6
2.	Air Conditioner 1 ton split (Preferably Voltas /Mitsubhishi Electrical/Hitachi/Carrier)	3 + 1

The above items shall conform to the specifications given as under:

1. 1.5 Ton Split Air Conditioner

- a) 5 star – star rating
- b) 1.5 tons – capacity
- c) EER ~ 3.4
- d) Power supply – 230 V , Single phase , 50 Hz
- e) Stabilizer – free of cost
- f) Stand – free of cost
- g) Standard installation – free of cost
- h) Type – cooling only
- i) Remote control switch
- j) AMC – (Annual maintenance contract)
- k) 12/24 hour timer
- l) Noise Level \leq 30 db
- m) Power consumption \leq 1550 W
- n) Air circulation \geq 700 CFM
- o) Compressor type – rotary
- p) After sale service – must

2 1 Ton Split Air Conditioner

- a) 5 star – star rating
- b) 1.0 tons – capacity
- c) EER~ 3.45
- d) Power supply – 230 V, Single phase, 50 Hz

- e) Stabilizer – free of cost
- f) Stand – free of cost
- g) Standard installation – free of cost
- h) Type – colling only
- i) Remote control switch
- j) AMC – (Annual maintenance contract)
- k) 12/24 hour timer
- l) Noise Level ≤ 30 db
- m) Power consumption ≤ 1070 W
- n) Air circulation ≤ 470 CFM
- o) Compressor type – rotary
- p) After sale service – must

You are requested to quote the rate, taxes if any and other terms and conditions of supply. The rates should be inclusive of stabilizer, installation charges, outer stand, copper pipe and other charges like labour, freight etc.

Dealers have the option to visit the site during 8.30am to 12.30 pm and 5 pm to 6 pm to assess the requirement of copper pipe and other accessories if any.

A copy/catalogue of the specifications of the make should be attached along with the quotation failing which the quotation will be rejected.

No advance payment will be given.

Your quotations, the envelopes of which are marked “quotation for the supply of AC” shall reach the office of the CMO by 5 pm on or before 30 May **2015**.

(Chief Medical Officer)